



# UNB

## INTERCHANGE HEADER

<b>Pos:</b>	<b>Max: 1</b>
<b>Mandatory</b>	
<b>Group: N/A</b>	<b>Elements: 11</b>

**User Option (Usage):** Must use

To start, identify and specify an interchange.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNB010	S001	<b>SYNTAX IDENTIFIER</b> <b>Description:</b> Identification of the agency controlling the syntax and indication of syntax level.	M	Comp		Must use
	0001	<b>Syntax identifier</b> <b>Description:</b> Coded identification of the agency controlling a syntax and syntax level used in an interchange. <b>User Note 1:</b> <i>Komentar: Uporablja se nabor znakov UNOA (samo velike Črke A-Z in številke od 0-9. Slovenski znaki iz tega nabora so prikazani kot [, @, ^, [, `in ~. Ti znaki so del UNOA nabora in sicer v International Reference Version (IRV)ISO 646.</i>	M	a	4/4	Must use
	0002	<b>Syntax version number</b> <b>Description:</b> Version number of the syntax identified in the syntax identifier (0001). <b>User Note 1:</b> <i>V skladu z EANCOM standardom iz leta 1997 je vrednost tega elementa enaka 3 All valid standard codes are used.</i>	M	n	1/1	Must use
UNB020	S002	<b>INTERCHANGE SENDER</b> <b>Description:</b> Identification of the sender of the interchange.	M	Comp		Must use
	0004	<b>Sender identification</b> <b>Description:</b> Name or coded representation of the sender of a data interchange. <b>User Note 1:</b> <i>EAN lokacijska številka pošiljatelja</i>	M	an	1/35	Must use
UNB030	S003	<b>INTERCHANGE RECIPIENT</b> <b>Description:</b> Identification of the recipient of the interchange.	M	Comp		Must use
	0010	<b>Recipient identification</b> <b>Description:</b> Name or coded representation of the recipient of a data interchange. <b>User Note 1:</b> <i>EAN lokacijska številka prejemnika</i>	M	an	1/35	Must use
UNB040	S004	<b>DATE/TIME OF PREPARATION</b> <b>Description:</b> Date/time of preparation of the interchange.	M	Comp		Must use
	0017	<b>Date of preparation</b> <b>Description:</b> Local date when an interchange or a functional group was prepared. <b>User Note 1:</b> <i>Datum priprave izmenjave (LL-leto, MM-mesec, DD-dan)</i>	M	n	6/6	Must use



	0019	<b>Time of preparation</b> <b>Description:</b> Local time of day when an interchange or a functional group was prepared. <b>User Note 1:</b> Čas v urah in minutah, ko je bila izmenjava pripravljena	M	n	4/4	Must use
UNB050	0020	<b>Interchange control reference</b> <b>Description:</b> Unique reference assigned by the sender to an interchange. <b>User Note 1:</b> Številka izmenjave, ki jo določi pošiljatelj	M	an	1/14	Must use
UNB060	S005	<b>RECIPIENTS REFERENCE PASSWORD</b> <b>Description:</b> Reference or password as agreed between the communicating partners.	C	Comp		Used
	0022	<b>Recipient's reference/password</b> <b>Description:</b> Unique reference assigned by the recipient to the data interchange or a password to the recipient's system or to a third party network as specified in the partners interchange agreement. <b>User Note 1:</b> NE UPORABLJAMO!	M	an	1/14	Must use
UNB070	0026	<b>Application reference</b> <b>Description:</b> Identification of the application area assigned by the sender, to which the messages in the interchange relate e.g. the message identifier if all the messages in the interchange are of the same type. <b>User Note 1:</b> NE UPORABLJAMO!	C	an	1/14	Used
UNB080	0029	<b>Processing priority code</b> <b>Description:</b> Code determined by the sender requesting processing priority for the interchange. <b>User Note 1:</b> NE UPORABLJAMO! <b>All valid standard codes are used.</b>	C	a	1/1	Used
UNB090	0031	<b>Acknowledgement request</b> <b>Description:</b> Code determined by the sender for acknowledgement of the interchange. <b>User Note 1:</b> NE UPORABLJAMO! <b>All valid standard codes are used.</b>	C	n	1/1	Used
UNB100	0032	<b>Cummunications agreement ID</b> <b>Description:</b> Identification by name or code of the type of agreement under which the interchange takes place. <b>User Note 1:</b> NE UPORABLJAMO!	C	an	1/35	Used
UNB110	0035	<b>Test indicator</b> <b>Description:</b> Indication that the interchange is a test. <b>User Note 1:</b> V primeru, da je v tem polju koda 1, potem je testna izmenjava <b>All valid standard codes are used.</b>	C	n	1/1	Used



# UNH

## MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 2

**User Option (Usage):** Must use

To head, identify and specify a message.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNH010	0062	<b>Message reference number</b> <b>Description:</b> Unique message reference assigned by the sender. <b>User Note 1:</b> <i>Zaporedna (tekoča) številka DESADV, v izmenjavi. Enaka je v elementu 0062 v UNT odseku.</i>	M	an	1/14	Must use
UNH020	S009	<b>MESSAGE IDENTIFIER</b> <b>Description:</b> Identification of the type, version etc. of the message being interchanged.	M	Comp		Must use
	0065	<b>Message type identifier</b> <b>Description:</b> Code identifying a type of message and assigned by its controlling agency. <b>Code</b> <b>Name</b> DESADV      Despatch advice message	M	an	1/6	Must use
	0052	<b>Message type version number</b> <b>Description:</b> Version number of a message type. <b>User Note 1:</b> <i>D</i>	M	an	1/3	Must use
	0054	<b>Message type release number</b> <b>Description:</b> Release number within the current message type version number (0052). <b>User Note 1:</b> <i>96A</i>	M	an	1/3	Must use
	0051	<b>Controlling agency</b> <b>Description:</b> Code identifying the agency controlling the specification, maintenance and publication of the message type. <b>Code</b> <b>Name</b> UN          UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)	M	an	1/2	Must use
	0057	<b>Association assigned code</b> <b>Description:</b> Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message. <b>User Note 1:</b> <i>EAN005</i>	C	an	1/6	Used



# BGM

## BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 3

**User Option (Usage):** Must use

To indicate the type and function of a message and to transmit the identifying number.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	<b>DOCUMENT/MESSAGE NAME</b> <b>Description:</b> Identification of a type of document/message by code or name. Code preferred. <b>User Note 1:</b> <i>Tip dokumenta je EANCOM 351 - dobavnica</i>	C	Comp		Used
	1001	<b>Document/message name, coded</b> <b>Description:</b> Document/message identifier expressed in code.	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 351                              Despatch advice				
BGM020	1004	<b>Document/message number</b> <b>Description:</b> Reference number assigned to the document/message by the issuer. <b>User Note 1:</b> <i>Enolična številka dokumenta DESADV. Predlagamo &lt;EAN SU&gt;-&lt;st_dok&gt;</i>	C	an	1/35	Used
BGM030	1225	<b>Message function, coded</b> <b>Description:</b> Code indicating the function of the message.	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 7                                  Duplicate 9                                  Original				



# DTM

DATE/TIME/PERIOD

Pos: 0030	Max: 10
Conditional	
Group: N/A	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

## Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
DTM010	C507	<b>DATE/TIME/PERIOD</b> <b>Description:</b> Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	<b>Date/time/period qualifier</b> <b>Description:</b> Code giving specific meaning to a date, time or period. <b>User Note 1:</b> 11 -Datum/čas predvidene odpreme 17 -Datum/čas predvidene dobave 137 -Datum/čas dokumenta (dobavnice)	M	an	1/3	Must use
	2380	<b>Code</b> <b>Name</b> 11                  Despatch date and or time 17                  Delivery date/time, estimated 137                Document/message date/time <b>Date/time/period</b> <b>Description:</b> The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used
	2379	<b>User Note 1:</b> Datum/čas <b>Date/time/period format qualifier</b> <b>Description:</b> Specification of the representation of a date, a date and time or of a period. <b>User Note 1:</b> Format polja 2380	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 102                CCYYMMDD 203                CCYYMMDDHHMM				



Segment Group 1

Pos: 0070	Repeat: 10
Conditional	
Group: 1	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0080	RFF	REFERENCE
0090	DTM	DATE/TIME/PERIOD

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use
C	1	Used



# RFF

## REFERENCE

Pos: 0080	Max: 1
<b>Mandatory</b>	
Group: 1	Elements: 1

**User Option (Usage):** Must use

To specify a reference.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	<b>REFERENCE</b> <b>Description:</b> Identification of a reference.	M	Comp		Must use
	1153	<b>Reference qualifier</b> <b>Description:</b> Code giving specific meaning to a reference segment or a reference number. <b>User Note 1:</b> IV -Številka fakture INVOIC ON -Številka naročila ORDERS PD -Številka akcije POR -Številka odgovora na naročilo ORDRSP AAK -Številka dobavnice DESADV	M	an	1/3	Must use
	1154	<b>Reference number</b> <b>Description:</b> Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier. <b>User Note 1:</b> Številka dokumenta	C	an	1/35	Used



# DTM

DATE/TIME/PERIOD

Pos: 0090	Max: 1
Conditional	
Group: 1	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	<b>DATE/TIME/PERIOD</b> <b>Description:</b> Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	<b>Date/time/period qualifier</b> <b>Description:</b> Code giving specific meaning to a date, time or period. <b>User Note 1:</b> 171 -Referenčni datum/čas	M	an	1/3	Must use
		<b>Code</b> <b>Name</b> 171          Reference date/time				
	2380	<b>Date/time/period</b> <b>Description:</b> The value of a date, a date and time, a time or of a period in a specified representation. <b>User Note 1:</b> Datum/Čas	C	an	1/35	Used
	2379	<b>Date/time/period format qualifier</b> <b>Description:</b> Specification of the representation of a date, a date and time or of a period. <b>User Note 1:</b> Format polja 2380	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 102          CCYYMMDD 203          CCYYMMDDHHMM				





---

Segment Group 2

Pos: 0100	Repeat: 10
Conditional	
Group: 2	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0110	NAD	NAME AND ADDRESS	M	1	Must use
0130		Segment Group 3	C	10	Used
0160		Segment Group 4	C	10	Used



# NAD

## NAME AND ADDRESS

Pos: 0110	Max: 1
<b>Mandatory</b>	
Group: 2	Elements: 3

**User Option (Usage):** Must use

To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	<b>Party qualifier</b> <b>Description:</b> Code giving specific meaning to a party. <b>User Note 1:</b> <i>BY -Kupec plačnik</i> <i>DP -Kupec dostavno mesto</i> <i>OB -Kupec naročnik</i> <i>SU -Dobavitelj program</i> <i>CA -Prevoznik</i>	M	an	1/3	Must use
NAD020	C082	<b>PARTY IDENTIFICATION DETAILS</b> <b>Description:</b> Identification of a transaction party by code.	C	Comp		Used
	3039	<b>Party id. identification</b> <b>Description:</b> Code identifying a party involved in a transaction. <b>User Note 1:</b> <i>EAN lok. št.</i>	M	an	1/35	Must use
	1131	<b>Code list qualifier</b> <b>Description:</b> Identification of a code list. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i> <b>All valid standard codes are used.</b>	C	an	1/3	Used
	3055	<b>Code list responsible agency, coded</b> <b>Description:</b> Code identifying the agency responsible for a code list. <b>User Note 1:</b> <i>9 -EAN</i>	C	an	1/3	Used
NAD030	C058	<b>NAME AND ADDRESS</b> <b>Description:</b> Unstructured name and address: one to five lines.	C	Comp		Used
	3124	<b>Name and address line</b> <b>Description:</b> Free form name and address description. <b>User Note 1:</b> <i>Naziv 3039</i>	M	an	1/35	Must use



Segment Group 4

Pos: 0160  
Repeat: 10  
Conditional  
Group: 4  
Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0170	CTA	CONTACT INFORMATION	M	1	Must use
0180	COM	COMMUNICATION CONTACT	C	5	Used



# CTA

## CONTACT INFORMATION

Pos: 0170	Max: 1
Mandatory	
Group: 4	Elements: 2

**User Option (Usage):** Must use

To identify a person or a department to whom communication should be directed.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTA010	3139	<b>Contact function, coded</b> <b>Description:</b> Code specifying the function of a contact (e.g. department or person). <b>User Note 1:</b> <i>Funkcija kontaktne osebe</i> <b>All valid standard codes are used.</b>	C	an	1/3	Used
CTA020	C056	<b>DEPARTMENT OR EMPLOYEE DETAILS</b> <b>Description:</b> Code and/or name of a department or employee. Code preferred.	C	Comp		Used
	3413	<b>Department or employee identification</b> <b>Description:</b> Internal identification code. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i>	C	an	1/17	Used
	3412	<b>Department or employee</b> <b>Description:</b> The department or person within an organizational entity. <b>User Note 1:</b> <i>Kontakta oseba (ime in priimek)</i>	C	an	1/35	Used



# COM

## COMMUNICATION CONTACT

Pos: 0180	Max: 5
Conditional	
Group: 4	Elements: 1

**User Option (Usage):** Used

To identify a communication number of a department or a person to whom communication should be directed.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
COM010	C076	<b>COMMUNICATION CONTACT</b> <b>Description:</b> Communication number of a department or employee in a specified channel.	M	Comp		Must use
	3148	<b>Communication number</b> <b>Description:</b> The communication number. <b>User Note 1:</b> Številka 3155 (telefona, e-maila, faxes)	M	an	1/512	Must use
	3155	<b>Communication channel qualifier</b> <b>Description:</b> Code identifying the type of communication channel being used. <b>User Note 1:</b> EM -email FX -fax TE -Telefon	M	an	1/3	Must use
		<b>Code</b> <b>Name</b> EM                            Electronic mail FX                            Telefax TE                            Telephone				



Segment Group 5

Pos: 0190	Repeat: 10
Conditional	
Group: 5	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0200	TOD	TERMS OF DELIVERY OR TRANSPORT

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use



# TOD

## TERMS OF DELIVERY OR TRANSPORT

Pos: 0200	Max: 1
Mandatory	
Group: 5	Elements: 3

**User Option (Usage):** Must use

To specify terms of delivery or transport.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TOD010	4055	<b>Terms of delivery or transport function, coded</b> <b>Description:</b> Indication whether the terms relate to e.g. price conditions, delivery conditions, transport conditions, or a combination of these. <b>User Note 1: 2 -Opomba na dobavnico</b> <b>6 -Način dostave</b>	C	an	1/3	Used
TOD020	4215	<b>Transport charges method of payment, coded</b> <b>Description:</b> Identification of method of payment for transport charges. <b>User Note 1: NE UPORABLJAMO!</b> <b>All valid standard codes are used.</b>	C	an	1/3	Used
TOD030	C100	<b>TERMS OF DELIVERY OR TRANSPORT</b> <b>Description:</b> Terms of delivery or transport code from a specified source.	C	Comp		Used
	4053	<b>Terms of delivery or transport, coded</b> <b>Description:</b> Identification of the terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided. <b>User Note 1: Če je 4055=6 potem je tu način NAČIN DOSTAVE:</b> <i>uporabljamo naslednje kode iz EANCOM</i> <i>01E=Contact delivery party before delivery (EAN Code)</i> <i>02E=Despatch goods urgent delivery (EAN Code)</i> <i>03E=Special delivery conditions (EAN Code)</i> <i>04E=Cash on delivery (EAN Code)</i>	C	an	1/3	Used
	1131	<b>Code list qualifier</b> <b>Description:</b> Identification of a code list. <b>User Note 1: NE UPORABLJAMO!</b>	C	an	1/3	Used
	3055	<b>Code list responsible agency, coded</b> <b>Description:</b> Code identifying the agency responsible for a code list. <b>User Note 1: Če je 4055=6</b> <b>9=EAN</b> <b>All valid standard codes are used.</b>	C	an	1/3	Used
	4052	<b>Terms of delivery or transport</b> <b>Description:</b> Terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided. <b>User Note 1: Če je 4055=2 potem je tu opomba na dobavnico</b>	C	an	1/70	Used
	4052	<b>Terms of delivery or transport</b>	C	an	1/70	Used



**Description:** Terms agreed between two parties (e.g. seller/buyer, shipper/carrier) under which a product or service is provided.

**User Note 1:** *NE UPORABLJAMO!*





Segment Group 6

Pos: 0230	Repeat: 10
Conditional	
Group: 6	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0240	TDT	DETAILS OF TRANSPORT

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use



# TDT

## DETAILS OF TRANSPORT

Pos: 0240	Max: 1
<b>Mandatory</b>	
Group: 6	Elements: 8

**User Option (Usage):** Must use

To specify the transport details such as mode of transport, means of transport, its conveyance reference number and the identification of the means of transport. The segment may be pointed to by the TPL segment.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>																														
TDT010	8051	<b>Transport stage qualifier</b> <b>Description:</b> Qualifier giving a specific meaning to the transport details. <b>All valid standard codes are used.</b>	M	an	1/3	Must use																														
TDT020	8028	<b>Conveyance reference number</b> <b>Description:</b> Unique reference given by the carrier to a certain journey or departure of a means of transport (generic term).	C	an	1/17	Used																														
TDT030	C220	<b>MODE OF TRANSPORT</b> <b>Description:</b> Method of transport code or name. Code preferred.	C	Comp		Used																														
	8067	<b>Mode of transport, coded</b> <b>Description:</b> Coded method of transport used for the carriage of the goods. <b>User Note 1: Vrsta transporta Glej EANCOM šifrant 8067</b> 20 - železniški transport 30 - cestni transport 40 - zračni transport 60 - mešani transport (multiomodal transport)	C	an	1/3	Used																														
TDT040	C228	<b>TRANSPORT MEANS</b> <b>Description:</b> Code and/or name identifying the type of means of transport.	C	Comp		Used																														
	8179	<b>Type of means of transport identification</b> <b>Description:</b> Code defining the type of the means of transport being utilized. <b>User Note 1: Vrsta prevoznega sredstva Glej EANCOM šifrant 8179</b>	C	an	1/8	Used																														
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr><td>1</td><td>Barge chemical tanker</td></tr> <tr><td>2</td><td>Coaster chemical tanker</td></tr> <tr><td>3</td><td>Dry bulk carrier</td></tr> <tr><td>4</td><td>Deep sea chemical tanker</td></tr> <tr><td>5</td><td>Gas tanker</td></tr> <tr><td>6</td><td>Aircraft</td></tr> <tr><td>7</td><td>Car with caravan</td></tr> <tr><td>9</td><td>Exceptional transport</td></tr> <tr><td>11</td><td>Ship</td></tr> <tr><td>12</td><td>Ship tanker</td></tr> <tr><td>13</td><td>Ocean vessel</td></tr> <tr><td>21</td><td>Rail tanker</td></tr> <tr><td>22</td><td>Rail silo tanker</td></tr> <tr><td>23</td><td>Rail bulk car</td></tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	1	Barge chemical tanker	2	Coaster chemical tanker	3	Dry bulk carrier	4	Deep sea chemical tanker	5	Gas tanker	6	Aircraft	7	Car with caravan	9	Exceptional transport	11	Ship	12	Ship tanker	13	Ocean vessel	21	Rail tanker	22	Rail silo tanker	23	Rail bulk car				
<u>Code</u>	<u>Name</u>																																			
1	Barge chemical tanker																																			
2	Coaster chemical tanker																																			
3	Dry bulk carrier																																			
4	Deep sea chemical tanker																																			
5	Gas tanker																																			
6	Aircraft																																			
7	Car with caravan																																			
9	Exceptional transport																																			
11	Ship																																			
12	Ship tanker																																			
13	Ocean vessel																																			
21	Rail tanker																																			
22	Rail silo tanker																																			
23	Rail bulk car																																			



		24	Customer rail tanker					
		25	Rail express					
		31	Truck					
		32	Road tanker					
		33	Road silo tanker					
		35	Truck/trailer with tilt					
		36	Pipeline					
		37	Hydrant cart					
		38	Car					
TDT050	C040		<b>CARRIER</b>	C	Comp			Used
			<b>Description:</b> Identification of a carrier by code and/or by name. Code preferred.					
	3127		<b>Carrier identification</b>	C	an	1/17		Used
			<b>Description:</b> Identification of party undertaking or arranging transport of goods between named points.					
			<b>User Note 1:</b> EAN GLN št.prevoznika					
	1131		<b>Code list qualifier</b>	C	an	1/3		Used
			<b>Description:</b> Identification of a code list.					
			<b>User Note 1:</b> 172 -Prevoznik					
			<b>Code</b> <b>Name</b>					
		172	Carrier code					
	3055		<b>Code list responsible agency, coded</b>	C	an	1/3		Used
			<b>Description:</b> Code identifying the agency responsible for a code list.					
			<b>User Note 1:</b> 9 -EAN					
			<b>Code</b> <b>Name</b>					
		9	EAN (International Article Numbering association)					
	3128		<b>Carrier name</b>	C	an	1/35		Used
			<b>Description:</b> Name of party undertaking or arranging transport of goods between named points.					
			<b>User Note 1:</b> Naziv prevoznika 3127					
TDT060	8101		<b>Transit direction, coded</b>	C	an	1/3		Used
			<b>Description:</b> Identification of the point of origin and point of direction.					
			<b>User Note 1:</b> NE UPORABLJAMO!					
			<b>All valid standard codes are used.</b>					
TDT070	C401		<b>EXCESS TRANSPORTATION INFORMATION</b>	C	Comp			Used
			<b>Description:</b> To provide details of reason for, and responsibility for, use of transportation other than normally utilized.					
	8457		<b>Excess transportation reason, coded</b>	M	an	1/3		Must use
			<b>Description:</b> Indication of reason for excess transportation.					
			<b>User Note 1:</b> NE UPORABLJAMO!					
			<b>All valid standard codes are used.</b>					
	8459		<b>Excess transportation responsibility, coded</b>	M	an	1/3		Must use
			<b>Description:</b> Indication of responsibility for excess transportation.					
			<b>User Note 1:</b> NE UPORABLJAMO!					
			<b>All valid standard codes are used.</b>					
	7130		<b>Customer authorization number</b>	C	an	1/17		Used
			<b>Description:</b> Customer provided authorization number to allow supplier to ship goods under specific freight conditions. This number will be transmitted back to customer in the dispatch advice message.					
			<b>User Note 1:</b> NE UPORABLJAMO!					
TDT080	C222		<b>TRANSPORT IDENTIFICATION</b>	C	Comp			Used
			<b>Description:</b> Code and/or name identifying the means of transport.					
	8213		<b>Id. of means of transport identification</b>	C	an	1/9		Used
			<b>Description:</b> Identification of the means of transport by name or number.					
			<b>User Note 1:</b> NE UPORABLJAMO!					
	1131		<b>Code list qualifier</b>	C	an	1/3		Used



	<b>Description:</b> Identification of a code list. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i> <b>All valid standard codes are used.</b>				
8212	<b>Id. of the means of transport</b> <b>Description:</b> Identification of the means of transport by name or number.	C	an	1/35	Used
	<b>User Note 1:</b> <i>Oznaka prevoznega sredstva (TABLICA)</i>				
8453	<b>Nationality of means of transport, coded</b> <b>Description:</b> Coded name of the country in which a means of transport is registered.	C	an	1/3	Used
	<b>User Note 1:</b> <i>Država prevoznega sredstva</i>				



Segment Group 8

Pos: 0290	Repeat: 10
Conditional	
Group: 8	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0320	SEL	SEAL NUMBER

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
C	25	Used



# SEL

SEAL NUMBER

Pos: 0320	Max: 25
Conditional	
Group: 8	Elements: 2

User Option (Usage): Used

To specify a seal number related to equipment.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SEL010	9308	<b>Seal number</b> <b>Description:</b> The number of a custom seal or another seal affixed to the containers or other transport unit. <b>User Note 1:</b> <i>Številka plombe</i>	M	an	1/10	Must use
SEL020	C215	<b>SEAL ISSUER</b> <b>Description:</b> Identification of the issuer of a seal on equipment either by code or by name. <b>Sealing party, coded</b> <b>Description:</b> Identification of the issuer of the seal number. <b>User Note 1:</b> <i>Kdo je plombiral</i>	C	Comp		Used
	9303	<b>Code</b> <b>Name</b> CA            Carrier CU            Customs SH            Shipper TO            Terminal operator	C	an	1/3	Used



Segment Group 10

Pos: 0370	Repeat: 9999
Conditional	
Group: 10	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0380	CPS	CONSIGNMENT PACKING SEQUENCE	M	1	Must use
0400		Segment Group 11	C	9999	Used
0550		Segment Group 15	C	9999	Used



# CPS

## CONSIGNMENT PACKING SEQUENCE

Pos: 0380	Max: 1
<b>Mandatory</b>	
Group: 10	Elements: 3

**User Option (Usage):** Must use

To identify the sequence in which physical packing is presented in the consignment, and optionally to identify the hierarchical relationship between packing layers.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CPS010	7164	<b>Hierarchical id. number</b> <b>Description:</b> A unique number assigned by the sender to identify a level within a hierarchical structure. <b>User Note 1:</b> <i>Zaporedna številka hierarhije</i>	M	an	1/12	Must use
CPS020	7166	<b>Hierarchical parent id.</b> <b>Description:</b> Identification number of the next higher hierarchical data segment in a hierarchical structure. <b>User Note 1:</b> <i>Veza na nadrejeni zapis</i>	C	an	1/12	Used
CPS030	7075	<b>Packaging level, coded</b> <b>Description:</b> Indication of level of packaging specified. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i> <b>All valid standard codes are used.</b>	C	an	1/3	Used





Segment Group 11

Pos: 0400	Repeat: 9999
Conditional	
Group: 11	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0410	PAC	PACKAGE
0470		Segment Group 13

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use
C	1000	Used



# PAC

## PACKAGE

Pos: 0410	Max: 1
Mandatory	
Group: 11	Elements: 3

**User Option (Usage):** Must use

To describe the number and type of packages/physical units.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PAC010	7224	<b>Number of packages</b> <b>Description:</b> Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing. <b>User Note 1:</b> Število pakiranj, ki jih vsebuje določena hierarhija pakiranja	C	n	1/8	Used
PAC020	C531	<b>PACKAGING DETAILS</b> <b>Description:</b> Packaging level and details, terms and conditions.	C	Comp		Used
	7075	<b>Packaging level, coded</b> <b>Description:</b> Indication of level of packaging specified. <b>All valid standard codes are used.</b>	C	an	1/3	Used
	7233	<b>Packaging related information, coded</b> <b>Description:</b> Code giving packaging, handling and marking related information. <b>User Note 1:</b> 52 -Pakiranje označeno z EAN 128 (sscc)	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 50      Package barcoded EAN-13 or EAN-8 51      Package barcoded ITF-14 or ITF-6 52      Package barcoded UCC or EAN-128				
PAC030	C202	<b>PACKAGE TYPE</b> <b>Description:</b> Type of package by name or by code from a specified source.	C	Comp		Used
	7065	<b>Type of packages identification</b> <b>Description:</b> Coded description of the form in which goods are presented. <b>User Note 1:</b> Tip Embalaže Glej EANCOM šifrant 7065 priporočila se: 09 - returnable pallet (EAN CODE) 201 - Pallet ISO 1-1/1 EURO Pallet (EAN Code) PK - Package SL - Slipsheet	C	an	1/17	Used
	1131	<b>Code list qualifier</b> <b>Description:</b> Identification of a code list. <b>User Note 1:</b> NE UPORABLJAMO! <b>All valid standard codes are used.</b>	C	an	1/3	Used
	3055	<b>Code list responsible agency, coded</b> <b>Description:</b> Code identifying the agency responsible for a code list. <b>User Note 1:</b> 9-EAN	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 9      EAN (International Article Numbering association)				



Segment Group 13

Pos: 0470	Repeat: 1000
Conditional	
Group: 13	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0480	PCI	PACKAGE IDENTIFICATION
0520		Segment Group 14

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use
C	99	Used



# PCI

## PACKAGE IDENTIFICATION

Pos: 0480	Max: 1
Mandatory	
Group: 13	Elements: 1

**User Option (Usage):** Must use

To specify markings and labels on individual packages or physical units.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PCI010	4233	<b>Marking instructions, coded</b> <b>Description:</b> Code indicating instructions on how specified packages or physical units should be marked.	C	an	1/3	Used
		<b>Code</b> 33E		<b>Name</b> SSCC		



Segment Group 14

Pos: 0520	Repeat: 99
Conditional	
Group: 14	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0530	GIN	GOODS IDENTITY NUMBER

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use



# GIN

## GOODS IDENTITY NUMBER

Pos: 0530	Max: 1
Mandatory	
Group: 14	Elements: 2

**User Option (Usage):** Must use

To give specific identification numbers, either as single numbers or ranges.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GIN010	7405	<b>Identity number qualifier</b> <b>Description:</b> Code specifying the type/source of identity number. <b>User Note 1:</b> <i>BJ -SSCC</i>	M	an	1/3	Must use
GIN020	C208	<b>Code</b> <b>Name</b> BJ      Serial shipping container code <b>IDENTITY NUMBER RANGE</b> <b>Description:</b> Goods item identification numbers, start and end of consecutively numbered range.	M	Comp		Must use
	7402	<b>Identity number</b> <b>Description:</b> A value given to an object for identification purposes. <b>User Note 1:</b> <i>SSCC koda embalaže</i>	M	an	1/35	Must use
	7402	<b>Identity number</b> <b>Description:</b> A value given to an object for identification purposes. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i>	C	an	1/35	Used



Segment Group 15

Pos: 0550	Repeat: 9999
Conditional	
Group: 15	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0560	LIN	LINE ITEM	M	1	Must use
0570	PIA	ADDITIONAL PRODUCT ID	C	10	Used
0580	IMD	ITEM DESCRIPTION	C	25	Used
0600	QTY	QUANTITY	C	10	Used
0650	DTM	DATE/TIME/PERIOD	C	5	Used
0660	FTX	FREE TEXT	C	5	Used
0670	MOA	MONETARY AMOUNT	C	5	Used
0680		Segment Group 16	C	10	Used



# LIN

LINE ITEM

Pos: 0560	Max: 1
Mandatory	
Group: 15	Elements: 3

**User Option (Usage):** Must use

To identify a line item and configuration.

**Element Summary:**

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	<b>Line item number</b> <b>Description:</b> Serial number designating each separate item within a series of articles.	C	n	1/6	Used
LIN020	1229	<b>User Note 1: Zaporedna številka LIN v DESADV</b> <b>Action request/notification, coded</b> <b>Description:</b> Code specifying the action to be taken or already taken. <b>User Note 1: Glej šifrant 1229,</b> <i>priporočja se uporabo:</i>  <i>1 – postavka dodana</i> <i>3 – postavka spremenjena</i> <i>5 – postavka ista kot na ORDRSP</i> <b>All valid standard codes are used.</b>	C	an	1/3	Used
LIN030	C212	<b>ITEM NUMBER IDENTIFICATION</b> <b>Description:</b> Goods identification for a specified source.	C	Comp		Used
	7140	<b>Item number</b> <b>Description:</b> A number allocated to a group or item. <b>User Note 1: EAN ali UPC koda artikla</b>	C	an	1/35	Used
	7143	<b>Item number type, coded</b> <b>Description:</b> Identification of the type of item number. <b>User Note 1: Tip kode v 7140</b> <i>EN -EAN</i> <i>UP -UPC</i>	C	an	1/3	Used
		<b>Code</b> <b>Name</b> EN                            International Article Numbering Association (EAN) UP                            UPC (Universal product code)				





# PIA

## ADDITIONAL PRODUCT ID

Pos: 0570	Max: 10
Conditional	
Group: 15	Elements: 4

User Option (Usage): Used

To specify additional or substitutional item identification codes.

### Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
PIA010	4347	<b>Product id. function qualifier</b> <b>Description:</b> Indication of the function of the product code. <b>User Note 1:</b> 1 -Dodatni podatki o artiklu	M	an	1/3	Must use
		<b>Code</b> <b>Name</b>				
		1            Additional identification				
		5            Product identification				
PIA020	C212	<b>ITEM NUMBER IDENTIFICATION</b> <b>Description:</b> Goods identification for a specified source.	M	Comp		Must use
	7140	<b>Item number</b> <b>Description:</b> A number allocated to a group or item. <b>User Note 1:</b> Kupčeva koda artikla	C	an	1/35	Used
	7143	<b>Item number type, coded</b> <b>Description:</b> Identification of the type of item number. <b>User Note 1:</b> IN	C	an	1/3	Used
		<b>Code</b> <b>Name</b>				
		IN          Buyer's item number				
PIA030	C212	<b>ITEM NUMBER IDENTIFICATION</b> <b>Description:</b> Goods identification for a specified source.	C	Comp		Used
	7140	<b>Item number</b> <b>Description:</b> A number allocated to a group or item. <b>User Note 1:</b> Dobaviteljeva koda artikla	C	an	1/35	Used
	7143	<b>Item number type, coded</b> <b>Description:</b> Identification of the type of item number. <b>User Note 1:</b> SA	C	an	1/3	Used
		<b>Code</b> <b>Name</b>				
		SA          Supplier's article number				
PIA040	C212	<b>ITEM NUMBER IDENTIFICATION</b> <b>Description:</b> Goods identification for a specified source.	C	Comp		Used
	7140	<b>Item number</b> <b>Description:</b> A number allocated to a group or item. <b>User Note 1:</b> Dodatna koda artikla	C	an	1/35	Used
	7143	<b>Item number type, coded</b> <b>Description:</b> Identification of the type of item number. <b>User Note 1:</b> ZZ1	C	an	1/3	Used
		<b>Code</b> <b>Name</b>				
		ZZ1				



# IMD

## ITEM DESCRIPTION

Pos: 0580	Max: 25
Conditional	
Group: 15	Elements: 3

User Option (Usage): Used

To describe an item in either an industry or free format.

### Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
IMD010	7077	<b>Item description type, coded</b> <b>Description:</b> Code indicating the format of a description. <b>User Note 1:</b> C -Vrsta postavke F -Opis artikla	C	an	1/3	Used
IMD020	7081	<b>Item characteristic, coded</b> <b>Description:</b> Code specifying the item characteristic being described. <b>User Note 1:</b> NE UPORABLJAMO! All valid standard codes are used.	C	an	1/3	Used
IMD030	C273	<b>ITEM DESCRIPTION</b> <b>Description:</b> Description of an item.	C	Comp		Used
	7009	<b>Item description identification</b> <b>Description:</b> Code from an industry code list which provides specific data about a product characteristic. <b>User Note 1:</b> Obvezno, če je 7077 =C  CU= CONSUMER UNIT (The package size of a product or products agreed by trading partners as the size sold at the retail point of sale.)  RC = Returnable container (EAN Code) The current product is not traditionally a traded product but one which should be returned according to separate instructions.  SER = Service (EAN Code) A code identifying the current item as a service (i.e. not a physical product).	C	an	1/17	Used
	1131	<b>Code list qualifier</b> <b>Description:</b> Identification of a code list. <b>User Note 1:</b> NE UPORABLJAMO! All valid standard codes are used.	C	an	1/3	Used
	3055	<b>Code list responsible agency, coded</b> <b>Description:</b> Code identifying the agency responsible for a code list. <b>User Note 1:</b> NE UPORABLJAMO! All valid standard codes are used.	C	an	1/3	Used
	7008	<b>Item description</b> <b>Description:</b> Plain language description of articles or products.	C	an	1/35	Used



7008	<p><b>User Note 1:</b> <i>Opis artikla 1/2 pri 7077=F</i></p> <p><b>Item description</b></p> <p><b>Description:</b> Plain language description of articles or products.</p> <p><b>User Note 1:</b> <i>Opis artikla 2/2 pri 7077=F</i></p>	C	an	1/35	Used
------	---	---	----	------	------



# QTY

QUANTITY

Pos: 0600	Max: 10
Conditional	
Group: 15	Elements: 1

User Option (Usage): Used

To specify a pertinent quantity.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	<b>QUANTITY DETAILS</b> <b>Description:</b> Quantity information in a transaction, qualified when relevant.	M	Comp		Must use
	6063	<b>Quantity qualifier</b> <b>Description:</b> Code giving specific meaning to a quantity. <b>User Note 1:</b> 12 -Dobavljena količina 21 -Naročena količina 66 -Potrjena količina	M	an	1/3	Must use
		<b>Code</b> <b>Name</b> 12          Despatch quantity 17          Quantity on hand 21          Ordered quantity 47          Invoiced quantity 66          Committed quantity				
	6060	<b>Quantity</b> <b>Description:</b> Numeric value of a quantity. <b>User Note 1:</b> Količina	M	n	1/15	Must use
	6411	<b>Measure unit qualifier</b> <b>Description:</b> Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed. <b>User Note 1:</b> Enota mere Glej EANCOM šifrant 6411	C	an	1/3	Used



# DTM

DATE/TIME/PERIOD

Pos: 0650	Max: 5
Conditional	
Group: 15	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	<b>DATE/TIME/PERIOD</b> <b>Description:</b> Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	<b>Date/time/period qualifier</b> <b>Description:</b> Code giving specific meaning to a date, time or period. <b>User Note 1: 364 -Datum uporabe (Best before)</b>	M	an	1/3	Must use
	2380	<b>Code</b> <b>Name</b> 364            Minimum shelf life remaining at time of despatch period <b>Date/time/period</b> <b>Description:</b> The value of a date, a date and time, a time or of a period in a specified representation. <b>User Note 1: 364 -Datum uporabe (Best before)</b>	C	an	1/35	Used
	2379	<b>Date/time/period format qualifier</b> <b>Description:</b> Specification of the representation of a date, a date and time or of a period. <b>User Note 1: Format polja 2380</b>	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 102            CCYYMMDD 203            CCYYMMDDHHMM				



# FTX

FREE TEXT

Pos: 0660	Max: 5
Conditional	
Group: 15	Elements: 4

User Option (Usage): Used

To provide free form or coded text information.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	<b>Text subject qualifier</b> Description: Code specifying subject of a free text. User Note 1: <i>PRD</i>	M	an	1/3	Must use
		<b>Code</b> <b>Name</b> PRD          Product information				
FTX020	4453	<b>Text function, coded</b> Description: Code specifying how to handle the text. User Note 1: <i>NE UPORABLJAMO!</i> All valid standard codes are used.	C	an	1/3	Used
FTX030	C107	<b>TEXT REFERENCE</b> Description: Coded reference to a standard text and its source.	C	Comp		Used
	4441	<b>Free text, coded</b> Description: Free text in coded form. User Note 1: <i>NE UPORABLJAMO!</i>	M	an	1/3	Must use
FTX040	C108	<b>TEXT LITERAL</b> Description: Free text; one to five lines.	C	Comp		Used
	4440	<b>Free text</b> Description: Free text field available to the message sender for information. User Note 1: <i>Opomba na postavko</i>	M	an	1/70	Must use



# MOA

## MONETARY AMOUNT

Pos: 0670	Max: 5
Conditional	
Group: 15	Elements: 1

User Option (Usage): Used

To specify a monetary amount.

### Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
MOA010	C516	<b>MONETARY AMOUNT</b> <b>Description:</b> Amount of goods or services stated as a monetary amount in a specified currency.	M	Comp		Must use
	5025	<b>Monetary amount type qualifier</b> <b>Description:</b> Indication of type of amount. <b>User Note 1:</b> <i>Skupni znesek neto</i> <i>124 - Skupni znesek davka (vstopni za kupca)</i> <i>146 - Nabavna cena</i> <i>150 - Procent davka</i> <i>ZZ1 - Maloprodajna cena</i>	M	an	1/3	Must use
		<b>Code</b> <b>Name</b> 38                Invoice item amount 124               Tax amount 146               Unit price 150               Value added tax ZZ1 ZZ2				
	5004	<b>Monetary amount</b> <b>Description:</b> Number of monetary units. <b>User Note 1:</b> <i>Znesek oz cena oz davek</i>	C	n	1/18	Used
	6345	<b>Currency, coded</b> <b>Description:</b> Identification of the name or symbol of the monetary unit involved in the transaction. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i>	C	an	1/3	Used
	6343	<b>Currency qualifier</b> <b>Description:</b> Code giving specific meaning to data element 6345 Currency. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i> <b>All valid standard codes are used.</b>	C	an	1/3	Used
	4405	<b>Status, coded</b> <b>Description:</b> Provides information regarding a status. <b>User Note 1:</b> <i>NE UPORABLJAMO!</i> <b>All valid standard codes are used.</b>	C	an	1/3	Used



Segment Group 16

Pos: 0680	Repeat: 10
Conditional	
Group: 16	Elements: N/A

**Segment Group Summary:**

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0690	RFF	REFERENCE
0700	DTM	DATE/TIME/PERIOD

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use
C	1	Used





# RFF

## REFERENCE

Pos: 0690	Max: 1
<b>Mandatory</b>	
Group: 16	Elements: 1

**User Option (Usage):** Must use

To specify a reference.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>														
RFF010	C506	<b>REFERENCE</b> <b>Description:</b> Identification of a reference.	M	Comp		Must use														
	1153	<b>Reference qualifier</b> <b>Description:</b> Code giving specific meaning to a reference segment or a reference number. <b>User Note 1:</b> <i>ON -Številka naročila</i> <i>Tip detajla na postavko:</i> <i>BT -Batch nuber</i> <i>SE -Serijska številka</i> <i>MSS - Varnostni list</i> <i>AIE -Atest</i> <i>ZZ1 -Veterinarsko potrdilo</i>	M	an	1/3	Must use														
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>BT</td> <td>Batch number/lot number</td> </tr> <tr> <td>ON</td> <td>Order number (purchase)</td> </tr> <tr> <td>SE</td> <td>Serial number</td> </tr> <tr> <td>AIE</td> <td>Ministerial certificate of homologation</td> </tr> <tr> <td>MSS</td> <td>Manufacturer's material safety data sheet number</td> </tr> <tr> <td>ZZ1</td> <td></td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	BT	Batch number/lot number	ON	Order number (purchase)	SE	Serial number	AIE	Ministerial certificate of homologation	MSS	Manufacturer's material safety data sheet number	ZZ1					
<u>Code</u>	<u>Name</u>																			
BT	Batch number/lot number																			
ON	Order number (purchase)																			
SE	Serial number																			
AIE	Ministerial certificate of homologation																			
MSS	Manufacturer's material safety data sheet number																			
ZZ1																				
	1154	<b>Reference number</b> <b>Description:</b> Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier. <b>User Note 1:</b> <i>Referenčna številka</i>	C	an	1/35	Used														
	1156	<b>Line number</b> <b>Description:</b> Number of the line in the document/message referenced in 1154 Reference number. <b>User Note 1:</b> <i>Pri 1153=ON</i> <i>Številka postavke v naročilu</i>	C	an	1/6	Used														



# DTM

DATE/TIME/PERIOD

Pos: 0700	Max: 1
Conditional	
Group: 16	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	<b>DATE/TIME/PERIOD</b> <b>Description:</b> Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	<b>Date/time/period qualifier</b> <b>Description:</b> Code giving specific meaning to a date, time or period. <b>User Note 1:</b> 171 -Referenčni datum	M	an	1/3	Must use
		<b>Code</b> <b>Name</b> 171          Reference date/time				
	2380	<b>Date/time/period</b> <b>Description:</b> The value of a date, a date and time, a time or of a period in a specified representation. <b>User Note 1:</b> datum	C	an	1/35	Used
	2379	<b>Date/time/period format qualifier</b> <b>Description:</b> Specification of the representation of a date, a date and time or of a period. <b>User Note 1:</b> Format polja 2380	C	an	1/3	Used
		<b>Code</b> <b>Name</b> 102          CCYYMMDD 203          CCYYMMDDHHMM				



# CNT

## CONTROL TOTAL

Pos: 0980	Max: 5
Conditional	
Group: N/A	Elements: 1

**User Option (Usage):** Used

To provide control total.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CNT010	C270	<b>CONTROL</b> <b>Description:</b> Control total for checking integrity of a message or part of a message.	M	Comp		Must use
	6069	<b>Control qualifier</b> <b>Description:</b> Determines the source data elements in the message which forms the basis for 6066 Control value. <b>User Note 1:</b> 2 -Število postavk (LIN segmentov) v DESADV	M	an	1/3	Must use
	6066	<b>Control value</b> <b>Description:</b> Value obtained from summing the values specified by the Control Qualifier throughout the message (Hash total). <b>User Note 1:</b> Število postavk v DESADV	M	n	1/18	Must use



# UNT

## MESSAGE TRAILER

Pos: 0990	Max: 1
Mandatory	
Group: N/A	Elements: 2

**User Option (Usage):** Must use

To end and check the completeness of a message.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	<b>Number of segments in a message</b> <b>Description:</b> Control count of number of segments in a message.	M	n	1/6	Must use
UNT020	0062	<b>User Note 1: Število segmentov v dokumentu</b> <b>Message reference number</b> <b>Description:</b> Unique message reference assigned by the sender. <b>User Note 1: Ista vrednost kot v UNH/0062</b>	M	an	1/14	Must use



# UNZ

## INTERCHANGE TRAILER

Pos:	Max: 1
<b>Mandatory</b>	
Group: N/A	Elements: 2

**User Option (Usage):** Must use

To end and check the completeness of an interchange.

### Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNZ010	0036	<b>Interchange control count</b> <b>Description:</b> Count either of the number of messages or, if used, of the number of functional groups in an interchange.	M	n	1/6	Must use
UNZ020	0020	<b>Interchange control reference</b> <b>Description:</b> Unique reference assigned by the sender to an interchange. <b>User Note 1:</b> <i>Število dokumentov v izmenjavi</i>	M	an	1/14	Must use
		<b>User Note 1:</b> <i>Ista vrednost kot v UNZ/0020</i>				